|    | Туре  | Hits | Search Text   | DBs                                  |
|----|-------|------|---|--------------------------------------|
| 1  | BRS   | 5500 | database near2 object\$   | USPAT; EPO; JPO;                     |
| 1  | DKS   | 3300 | uatabase fiearz objectą   | DERWENT; IBM_TDB                     |
| 2  | BRS   | 269  | (database near2 object\$) and (data near2 dictionary)   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 3  | BRS   | 27   | "L3" and (retrieve\$ near2 object\$)  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 4  | BRS   | 3    | ("L3" and (retrieve\$ near2 object\$)) and recursive\$  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 5  | BRS   | 0    | ("L3" and (retrieve\$ near2 object\$)) and recursive\$ and view   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 6  | BRS   | 17   | "L3" and (retrieve\$ near2 object\$) and view   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 7  | BRS   | 3    | ("L3" and (retrieve\$ near2 object\$) and view) and (object near2 definitions)  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 8  | BRS   | 797  | object near2 definitions  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 9  | BRS   | 101  | (object near2 definitions) and ((retriev\$ or search\$) near2 definition\$)   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 10 | BRS   | 2    | ((object near2 definitions) and ((retriev\$ or search\$) near2 definition\$)) and (retriev\$ near2 recursive\$)                   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 11 | BRS   | 26   | ((object near2 definitions) and ((retriev\$ or search\$)<br>near2 definition\$)) and ((build\$ or create\$) near2<br>definitions) | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 12 | BRS   | 28   | (retriev\$ with (object\$ near definitions))  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 13 | BRS   | 21   | ((retriev\$ with (object\$ near definitions))) and query  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 14 | BRS   | 78   | (object\$ near definitions).ab.   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 15 | BRS   | 22   | ( (object\$ near definitions).ab.) and retriev\$  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 16 | BRS   | 3    | (( (object\$ near definitions).ab.) and retriev\$) and dictionary   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 17 | BRS   | 1    | (( (object\$ near definitions).ab.) and retriev\$) and dictionary and loop\$  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 18 | BRS   | 1    | ((( (object\$ near definitions).ab.) and retriev\$) and dictionary and loop\$) and query  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 19 | BRS   | 60   | (object\$ near definitions).clm.  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 20 | BRS   | 4    | ( (object\$ near definitions).clm.) and dictionary  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 21 | BRS   | 0    | ( (object\$ near definitions).clm.) and dictionary and cop\$  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 22 | BRS , | 35   | (object\$ near definitions) and RDBMS   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 23 | BRS   | 4    | ( (object\$ near definitions) and RDBMS) and dictionary   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 24 | BRS   | 1    | ( (object\$ near definitions) and RDBMS) and dictionary and copy  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 25 | BRS   | 233  | (object\$ near definitions) and query   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 26 | BRS   | 19   | (object\$ near definitions) and query and (catego\$ near2 object\$)   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 27 | BRS   | 433  | send\$ near2 resume\$   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 28 | BRS   | 0 .  | (send\$ near2 resume\$) and (resume near2 template\$)   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 29 | BRS   | 18   | (send\$ near2 resume\$) and template\$  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |

|    | Туре  | Hits | Search Text   | DBs                                  |
|----|-------|------|---|--------------------------------------|
| 58 | BRS   | 102  | (retriev\$ near2 resume\$) and memory   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 59 | BRS   | 10   | ((retriev\$ near2 resume\$) and memory) and template\$  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 60 | BRS   | 0    | (stor\$ near2 resumes) and (resume\$ near2 database)  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 61 | BRS   | 36   | stor\$ near2 resumes  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 62 | BRS . | 58   | resume near2 database\$   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 63 | BRS   | 41   | (resume near2 database\$) and (template\$ or form\$)  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 64 | BRS   | 3035 | (format\$ near2 (documents or files))   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 65 | BRS   | 1363 | ((format\$ near2 (documents or files))) and database\$  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 66 | BRS   | 229  | (((format\$ near2 (documents or files))) and database\$) and templates  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 67 | BRS   | 40   | ((((format\$ near2 (documents or files))) and database\$) and templates) and (template\$ near2 field\$)                     | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 68 | BRS   | 7    | ((((((format\$ near2 (documents or files))) and database\$) and templates) and (template\$ near2 field\$)) and 707/\$.ccls. | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 69 | BRS   | 0    | (template\$ near2 (unique near2 keywords))  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 70 | BRS   | 188  | resume near2 form\$   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 71 | BRS   | 19   | (resume near2 form\$) and unique  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |

|    | Туре | Hits  | Search Text  | DBs                                  |
|----|------|-------|--|--------------------------------------|
| 30 | BRS  | 11    | ((send\$ near2 resume\$) and template\$) and database  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 31 | BRS  | 129   | 707/3 and resumes  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 32 | BRS  | 91    | (707/3 and resumes) and (format\$ or template\$)   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 33 | BRS  | 74    | (707/3 and resumes) and (format\$ or template\$) and database  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 34 | BRS  | 4     | (summary near2 database) and (template near2 database)   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 35 | BRS  | 3     | (resumes near2 database) and (template near2 database)   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 36 | BRS  | 228   | template near2 ID\$  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 37 | BRS  | 22    | (template near2 ID\$) and resumes  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 38 | BRS  | 0     | (resume\$ near2 application\$) and (template near2 database)   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 39 | BRS  | 606   | resume\$ near2 application\$   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 40 | BRS  | 4     | resume near2 heading   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 41 | BRS  | 756   | keyword\$ near2 match\$  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 42 | BRS  | 0     | (keyword\$ near2 match\$) and (format\$ near2 resume\$)  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 43 | BRS  | 178   | format\$ near2 resume\$  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 44 | BRS  | 25691 | (format\$ near2 (document\$ or report\$ or record\$))  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 45 | BRS  | 57    | ((format\$ near2 (document\$ or report\$ or record\$))) and (template\$ near2 (ID\$ or identifier\$))  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 46 | BRS  | 53    | (((format\$ near2 (document\$ or report\$ or record\$)))<br>and (template\$ near2 (ID\$ or identifier\$))) and<br>database                                   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 47 | BRS  | 50    | (((((format\$ near2 (document\$ or report\$ or record\$)))<br>and (template\$ near2 (ID\$ or identifier\$))) and<br>database) and (map\$ or match\$)         | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 48 | BRS  | 2     | ((((((format\$ near2 (document\$ or report\$ or record\$))) and (template\$ near2 (ID\$ or identifier\$))) and database) and (map\$ or match\$)) and resume  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 49 | BRS  | 0     | ((((((format\$ near2 (document\$ or report\$ or record\$))) and (template\$ near2 (ID\$ or identifier\$))) and database) and (map\$ or match\$)) and resumes | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 50 | BRS  | 160   | search\$ near2 resumes   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 51 | BRS  | 1     | (search\$ near2 resumes) and (format\$ near2 resume\$)   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 52 | BRS  | 126   | (search\$ near2 resumes) and (template\$ or form\$)  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 53 | BRS  | 29    | ((search\$ near2 resumes) and (template\$ or form\$)) and database   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 54 | BRS  | 25    | (((search\$ near2 resumes) and (template\$ or form\$)) and database) and (match\$ or map\$)  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 55 | BRS  | 140   | resumes near2 memory   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 56 | BRS  | 0     | (resumes near2 memory) and (retriev\$ near2 resume\$)  | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
| 57 | BRS  | 141   | retriev\$ near2 resume\$   | USPAT; EPO; JPO;<br>DERWENT; IBM_TDB |
|    |      |       |  |                                      |